

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((gateway or router or hub or sattelite\$1)same audio near2 servers same protocol same subscribers) and @ad<="19980623"	USPAT	OR	OFF	2006/01/20 13:48
L2	0	((gateway or router or hub or sattelite\$1)same audio near2 servers same protocol same subscribers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:48
L3	0	((gateway or router or hub or sattelite\$1)same media near2 servers same protocol same subscribers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:48
L4	0	((gateway or router or hub or sattelite\$1)same media with servers same protocol same subscribers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:48
L5	68	((gateway or router or hub or sattelite\$1)same media with servers same protocols ) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:49
L6	0	((gateway or router or hub or sattelite\$1)same media with servers same translat\$4 near2 protocols ) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:49
L7	10	((gateway or router or hub or sattelite\$1)same media with servers same translat\$4 with protocols ) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:55
L8	0	((gateway or router or hub or sattelite\$1)same audio near2 servers same translat\$4 with protocols ) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:55

L9	0	((gateway or router or hub or satellite\$1)same audio with servers same translat\$4 with protocols ) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:56
L10	4132	((gateway or router or hub or satellite\$1)same audio translat\$4 with protocols ) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:56
L11	0	((gateway or router or hub or satellite\$1)same audio with boardcast\$3 with translat\$4 with protocols ) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:14
L12	1	("CORBA IIOP" with translat\$4 with protocols ) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:16
L13	1	(CORBA near1 IIOP with translat\$4 with protocols ) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:36
L14	0	(oversize with protocols with list ) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:22
L15	112	(encryption with request\$4 with servers ) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:22
L16	73	(encryption with request\$4 with servers and protocols ) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:23
S1	1	("6330598").PN.	USPAT; USOCR	OR	OFF	2006/01/18 11:10

S2	5	"709"/\$.ccls. and (translat\$4 and protocols).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 11:10
S3	40	"709"/\$.ccls. and (translat\$4 and protocols).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 11:29
S4	1	"709"/\$.ccls. and (translat\$4 with protocols) and (classif\$4 near2 request\$3) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:46
S5	4	"709"/\$.ccls. and (translat\$4 with protocols) and (classif\$4 with request\$3) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 11:53
S6	6	"709"/\$.ccls. and (multipl\$3 near2 networks) and (classif\$4 with request\$3) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 11:57
S7	13	"709"/\$.ccls. and (plurality\$3 near2 networks) and (classif\$4 with request\$3) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 11:57
S8	25	"709"/\$.ccls. and (translat\$4 with protocols) and (identical with protocol) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:54
S9	15	(translat\$4 with protocols) same (identical with protocol) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:19
S10	1	("6058115").PN.	USPAT; USOCR	OR	OFF	2006/01/18 14:31

S11	357	translat\$4 and (priorit\$ with protocol\$41) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:32
S12	357	translat\$4 and (priorit\$ with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:32
S13	71	"709"/.ccls. and translat\$4 and (priorit\$ with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:33
S14	19	"709"/.ccls. and (translat\$4 with protocol\$1) and (priorit\$ with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:34
S15	1	"709"/.ccls. and (translat\$4 with protocol\$1) and (priorit\$ with list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:16
S16	4	"709"/.ccls. and (priorit\$ with list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:28
S17	13	(priorit\$ with list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:09
S18	2	( updat\$3 with priorit\$ with list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:25

S19	35	internet and (updat\$3 with list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:29
S20	4	internet and (new near1 connection) and (updat\$3 with list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:34
S21	0	internet and updat\$4 with (new near1 connection) same (list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:34
S22	1	internet and (new near1 connection) same (list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:42
S23	2	internet and (new near1 connection) same (library with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:43
S24	407	internet and (updat\$3 near1 connection library with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:43
S25	159	"709"/\$.ccls. and internet and (updat\$3 near1 connection library with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:51
S26	158	"709"/\$.ccls. and internet and (updat\$3 near1 profile\$1 library with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:02

S27	16639598	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with list with new) @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:03
S28	26	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with list with new) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:04
S29	0	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with list with protocol\$1 with new) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:04
S30	0	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with list with priorit\$4 with new) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:04
S31	1	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with list with previous\$4 with new) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:05
S32	4	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with new near1 session) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:13
S33	147	"709"/\$.ccls. and (send\$4 with user near1 request\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:13
S34	1	"709"/\$.ccls. and (send\$4 with user near1 request\$1) with (plurality near2 servers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:14

S35	0	"709"/\$.ccls. and (send\$4 with user near1 request\$1) with (plurality near2 vendor\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:14
S36	6	"709"/\$.ccls. and (send\$4 with user near1 request\$1) with (plurality ) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:17
S37	4	"709"/\$.ccls. and (user near1 request\$1) with (plurality with services) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:23
S38	1	("6,061,714").PN.	USPAT; USOCR	OR	OFF	2006/01/18 18:24
S39	0	("20010032254").PN.	USPAT; USOCR	OR	OFF	2006/01/18 18:24
S40	1	("20010032254").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 18:24
S41	4657	(service near2 request\$4) and transl\$4 and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:25
S42	192	(service near2 request\$4) and (translat\$4 near1 protocol\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:26
S43	12	(service near2 request\$4) and (translat\$4 near1 protocol\$1) and (select\$3 near1 destination\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:34
S44	3	(service near2 message\$4) and (translat\$4 near1 protocol\$1) and (select\$3 near1 destination\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:35

S45	8	(receiv\$3 near2 message\$4) and (translat\$4 near1 protocol\$1) and (select\$3 near1 destination\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:39
S46	14	(service\$4 with request\$3) and (translat\$4 near1 protocol\$1) and (select\$3 near1 destination\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:41
S47	20	(service\$4 with request\$3) and (translat\$4 near1 protocol\$1) and (select\$3 with service\$1 near2 provider\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:43
S48	0	(service\$4 with request\$3) and (updat\$3 with translat\$4 near1 protocol\$1) and (select\$3 with service\$1 near2 provider\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:43
S49	1	(service\$4 with request\$3) and (updat\$3 same translat\$4 near1 protocol\$1) and (select\$3 with service\$1 near2 provider\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:45
S50	3	(service\$4 with request\$3) and (updat\$3 same translat\$4 near1 protocol\$1) and (service\$1 near2 provider\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:50
S51	1	("6243815").PN.	USPAT; USOCR	OR	OFF	2006/01/18 18:50
S52	1	("5881234").PN.	USPAT; USOCR	OR	OFF	2006/01/18 19:09
S53	0	("20020055995").PN.	USPAT; USOCR	OR	OFF	2006/01/18 19:10
S54	1	("20020055995").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 19:10
S55	1	("6058115").PN.	USPAT; USOCR	OR	OFF	2006/01/20 12:02
S56	272	((gateway or router or hub) with remov\$3 with (protocol or connection)) and @ad<="19980623"	USPAT	OR	OFF	2006/01/20 12:05



S57	5	((gateway or router or hub) with remov\$3 with ((translat\$4 near2 protocol) )) and @ad<="19980623"	USPAT	OR	OFF	2006/01/20 12:09
S58	1	((gateway or router or hub) with discard\$3 with ((translat\$4 near2 protocol) )) and @ad<="19980623"	USPAT	OR	OFF	2006/01/20 12:09
S59	11	((gateway or router or hub) with discard\$3 with (( protocol) )) and @ad<="19980623"	USPAT	OR	OFF	2006/01/20 13:38